

Zinc Sulphate Monohydrate Feed (ZSO₄.H₂O)



▪ Properties

| | |
|----------------|--|
| Appearance | White powder |
| Classification | Nutritional additive trace element Zinc sulphate monohydrate (3b605). Zinc (Zn) : 34% min (typical value) |

▪ Chemical analysis

| | | | |
|-----------------------------|------------|---|-------------------|
| Zn | 34% min | Pb - Lead ⁽¹⁾ | < 100 ppm |
| AS - Arsenic ⁽¹⁾ | < 30,0 ppm | Dioxins ⁽¹⁾ | < 1 ng/kg i-TEQ |
| Cd - Cadmium ⁽¹⁾ | < 10,0 ppm | Dioxins and dioxin-like PCBs ⁽¹⁾ | < 1,5 ng/kg i-TEQ |
| Hg - Mercury ⁽²⁾ | < 0,5 ppm | Non-dioxin-like PCBs ⁽¹⁾ | < 10 µg/kg i-TEQ |

1) According to directive 2002/32/CE and amendments.

2) According to AFCA-CIAL recommendations.

▪ Usage information

| | |
|---------------------------------|--|
| Directions for use | <p>Can be used in feed for all animal categories at a maximum content of Zinc (Zn) in mg/kg in the complete feed with 12% of moisture :</p> <ul style="list-style-type: none"> Dogs and cats: 200 (total) Salmonids and milk replacers for calves: 180 (total) Piglets, sows, rabbits and all fish other than salmonids: 150 (total) Other species and categories: 120 (total). <p>The additive shall be incorporated into feed in the form of a premixture.</p> |
| Contra-indications and warnings | <p>For users of the additive and premixtures, feed business operators shall establish operational procedures and appropriate organisational measures to address the potential risks by inhalation, dermal contact or eyes contact.</p> <p>Where risks cannot be reduced to an acceptable level by these procedures and measures, the additive and premixtures shall be used with appropriate personal protective equipment.</p> |

▪ Other information

| | |
|-----------|--|
| Packaging | Bags of 25 kg Big Bag of 1250kg |
| Storage | Store away from heat sources and humidity. Shelf life : 24 months after manufacturing in original packaging |



α FR 56024003

